


INDEX MAPS.

T. 5 N. R. 8 E. 2nd Mer.

	433		433		432		432		432		432	
435	6	457	5	451	4	447	3	443	2	439	1	431
	456		457		451		447		443		439	
435	7	456	8	450	9	447	10	443	11	439	12	431
	456		456		450		446		442		438	
435	18	455	17	450	16	446	15	444	14	438	13	430
	454		454		449		446		442		438	
434	19	454	20	449	21	445	22	441	23	437	24	430
	453		453		449		445		441		437	
434	30	453	29	448	28	444	27	441	26	436	25	430
	452		452		448		444		440		436	
433	31	451	32	448	33	444	34	440	35	436	36	429
	428		427		427		427		427		427	
			428		428		429		429		429	
	T.		R.						Mer.			

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

 The figures on the lines refer to the page.

427

Township N. 5 North, Range N. 8 East 2. Mer. Indi.
ch. lks

South Boundary. Aug. 27th 1886

Went On Rand^m S. boundary of Sec. 36
15.00 a Brook 5 lks. S. E. kept down it crossing it
27.00 left brook running N. W.
40.00 left temp^y. gr. Sec. post
50.00 at Brook 5 lks. wide C. P. S.
80.00 left temp^y. Cor. to Sec. 35 & 36
Land broken, timber Beech, Oak &c.

Went On Rand^m S. boundary of Sec. 35
40.00 left temp^y. gr. Sec. post
58.50 a Brook 20 lks. wide Course S. W.
65.00 looped brook
80.00 left temp^y. Cor. to Sec. 34 & 35
Fatter timber first part - last part rich land
timber Beech, Sugar &c.

Went On Rand^m S. boundary of Sec. 34
29.00 a Brook 3 lks. wide C. P. S.
40.00 left temp^y. gr. Sec. post
77.00 at Brook 20 lks. wide C. P. S. W.
80.00 left temp^y. Cor. to Sec. 33 & 34
Rich hilly land, timber Beech, Sugar &c

Went On Rand^m S. boundary of Sec. 33
40.00 left temp^y. gr. Sec. post
57.00 a Creek 120 lks. wide Course S.
80.00 left temp^y. Cor. to Sec. 32 & 33
First rate land, timber Sugar, Beech &c.

Went On Rand^m S. boundary of Sec. 32
15.00 a Brook 5 lks. wide Course S.
40.00 left temp^y. gr. Sec. post
43.00 at Brook 3 lks. wide Course S.
53.00 a Do. 3 " " " S.
80.00 left temp^y. Cor. to Sec. 31 & 32

428

S. 5. N. R. 8 E. 2.nd Mer. Indiana
 ch^l. l^y Rich, level land, timber Sugar, Beech &c.

West On Rand^m S. boundary of Sec. 31

5.00 a Brook 2 l^y. wide Corner N.W.

22.00 a Do. 3 " " " S.W.

39.00 a Creek 75 l^y. " " " S.W.

40.00 Set timpt. of Sec. post

79.00 fell 14 l^y. S. of post, Cor. to Township 4 of
 5 North, Range 7 of 8 East.

Rich bottom, land, timber Sugar, Beech &c

True Line, var. 5.50' E.

East On S. boundary of Sec. 31

39.00 Set of Sec. post, from which

a Lycamore 36 in. dia. bay N 20 E 40 l^y. dist. of

a Box Elder 10 " " " N 50 E 41 " "

79.00 Set post Cor. to Sec. 31 of 32, from which

a Beech 18 in. dia. bay N 59 W 16 l^y. dist. of

a Do. 16 " " " N 43 E 60 " "

East On S. boundary of Sec. 32

40.00 Set of Sec. post, from which

a Beech 13 in. dia. bay S 52 W 16 l^y. dist. of

a Do. 18 " " " N 42 E 24 " "

80.00 Set post Cor. to Sec. 32 of 33, from which

a Sugar 12 in. dia. bay N 32 E 24 l^y. dist. of

an Ash 30 " " " S 66 W 34 " "

East On S. boundary of Sec. 33

40.00 Set of Sec. post, from which

a Sugar 18 in. dia. bay N 60 E 11 l^y. dist. of

a Do. 36 " " " S 36 W 32 " "

80.00 Set post Cor. to Sec. 33 of 34, from which

a Beech 12 in. dia. bay N 8 E 4 l^y. dist. of

a Sugar 18 " " " S 63 W 37 " "

S N R E. 2nd Mer. Indiana

ch. 1/4
East On S. boundary of Sec. 34
40.00 at q. Sec. post, from which
a Beech 6 in. diam. bray N 37 1/2 E 18 1/2 ch. dist. of
a cherry 30 " " " S 30 1/2 W 30 " "
80.00 at post Cor. to Sec. 34 & 35, from which
a Beech 14 in. diam. bray N 73 E 6 1/2 ch. dist. of
a do. 15 " " " S 36 1/2 W 33 " "

East On S. boundary of Sec. 35
40.00 at q. Sec. post, from which
a sugar 14 in. diam. bray N 88 1/2 W 7 1/2 ch. dist. of
a Beech 16 " " " N 50 E 49 " "
80.00 at post Cor. to Sec. 35 & 36, from which
a Beech 16 in. diam. bray S 10 1/2 W 10 1/2 ch. dist. of
a do. 12 " " " N 36 E 33 " "

East On S. boundary of Sec. 36
40.00 at q. Sec. post, from which
a Beech 12 in. diam. bray S 66 1/2 W 4 1/2 ch. dist. of
a Poplar 12 " " " N 62 E 25 " "
80.00 to Township Corner.
Alexander Holmes, Deputy Surveyor
August 28th 1876

East Boundary.
November 3rd 1876. var. 5° 25' E.
North On E. boundary of Sec. 36
31.33 at Beech 12 in. diam.
40.00 at q. Sec. post, from which
a Beech 8 in. diam. bray N 74 1/2 E 21 1/2 ch. dist. of
a do. 16 " " " S 31 1/2 W 10 " "
58.50 a Creek 50 ch. wide Course S. W. (nearly dry)
61.04 a sugar 11 in. diam.
80.00 at post Cor. to Sec. 35 & 36, from which
a Beech 15 in. diam. bray S 87 E 37 1/2 ch. dist. of
a sugar 18 " " " S 60 W 32 " "

T5 N - R8 E. 2^d. Mer. Indianach. 2th

1st 1/2 mile Over level 2nd rate land, rather wet in the Spring - last 1/2 mile over rolling land, the greater part of the timber fallen down, and a thick Spruce underg^d. good farming land

North On E. boundary of Sec. 25

22.66 a Beech 12 in. diam.

40.00 Set of Sec. post, from which
a Beech 18 in. diam. bray S 42 E 7 1/4 m. dist. of
a do. 6 " " " N 43 W 9 " "

61.50 a Small dry branch Course N

63.42 a Beech 5 in. diam.

80.00 Set post cor. to Sec. 24 of 25, from which
a Beech 12 in. diam. bray West 13 1/4 m. dist. of
a do. 11 " " " N 63 W 27 " "

The 1st 1/2 mile Over flat land, timber principally Beech - the last 1/2 mile over rolling land, fallen timber in general very thick, underg^d. Spruce, birch, &c. (Middle farming land)

North On E. boundary of Sec. 24

21.00 a Small dry branch 10 1/4 m. wide Course N.

27.71 a Poplar 48 in. diam.

40.00 Set of Sec. post, from which
a Beech 15 in. diam. bray S 35 W 1 1/4 m. dist. of
a do. 24 " " " N 42 E 23 " "

68.97 a Beech 18 " "

79.00 a Creek 40 m. wide Course N.

80.00 Set post cor. to Sec. 13 of 24, from which
a Beech 15 in. diam. bray N 72 E 1 1/4 m. dist. of
an Elm 18 " " " N 43 W 5 " "

Over rolling 2nd rate land, timber principally Beech, underg^d. Spruce, Dogwood & gum trees, the last 1/2 mile good farming land.

North On E. boundary of Sec. 13

T5 N R8 E. 2. Mer. Indiana

431

ch. l. l. m.

22.30 a Poplar 20 m. dia.

40.00 Set of Sec. post, from which
a Beech 15 m. dia. bray N43 W 22 l. m. dist. of
a do. 15 " " " N15 E 9 " "

43.00 a Creek 50 l. m. wide Course W.

60.14 a Beech 8 m. dia.

80.00 Set post Cor. to Sec. 12 of 13, from which
a Beech 6 m. dia. bray N20 E 28 l. m. dist. of
a do. 6 " " " N47 W 12 " "
Over rolling 2nd rate land, timber principally
Beech, some poplar & Gum, underg. Spruce
good farming land

North On E. boundary of Sec. 12

27.50 a dry branch 10 l. m. wide Course W.

40.00 Set of Sec. post, from which
a W. Oak 18 m. dia. bray S39 W 10 l. m. dist. of
a Beech 6 " " " N66 E 8 " "

63.20 a Beech 24 " "

80.00 Set post Cor. to Sec. 11 of 12, from which
a Beech 14 m. dia. bray N23 W 18 l. m. dist. of
a do. 24 " " " N23 E 34 " "
Over level 2nd rate land, timber Beech, Poplar
& Gum, principally, good farming land

North On E. boundary of Sec. 1

27.55 a Beech 15 m. dia.

40.00 Set of Sec. post, from which
a Poplar 30 m. dia. bray S6 E 20 l. m. dist. of
a Beech 13 " " " N12 W 18 " "

65.43 a Beech 18 " "

79.50 intersected the E. & W. line 72 l. m. W. of temp.
Town Corner (For bearings at this Corner see
Brownson's notes of N. boundary T5 N. R9 E.)
(description of land &c. omitted)

Samy Sisson, L. Surveyor

T5 N R8 E. 2.nd Mer. Indiana
ch. l. l. l.

North Boundary.

Nest on S89½W. On S. boundary of Sec. 36, T6 N. R8 E.
28.40 a Brook 4 lks. wide Cr. St.

37.20 a d. l. 3 " " " St.

40.00 Set of Sec. post, from which
a Beech 16 in. dia. bray N46W15 lks. dist. of
a Cherry 10 " " " N26½E19 " "

80.00 Set post Cor. to Sec. 35, 36, T6 N. R8 E, from which
a Beech 15 in. dia. bray S79E11 lks. dist. of
a Sugar 16 " " " N75W17 " "
Land level, timber Beech, Sugar, Oak &c.

Nest on S89½W. On S. boundary of Sec. 35, T6 N. R8 E.

40.00 Set of Sec. post, from which
a Beech 18 in. dia. bray S65E. 25 lks. dist. of
a d. l. 15 " " " S35W18 " "

80.00 Set post Cor. to Sec. 34, 35, T6 N. R8 E, from which
a Beech 18 in. dia. bray S59W16 lks. dist. of
a d. l. 34 " " " N8W10 " "
Land gently ascending & descending rich, timber
Beech Sugar, Ash, Oak, &c. winding, Spruce

Nest on S89½W. On S. boundary of Sec. 34, T6 N. R8 E.
4.65 a Creek 150 lks. wide Corner S.

40.00 Set of Sec. post, from which
a Beech 5 in. dia. bray N35W7 lks. dist. of
a d. l. 8 " " " S21W31 " "

80.00 Set post Cor. to Sec. 33, 34, from which
a Beech 7 in. dia. bray N18½E30 lks. dist. of
a W. Oak 24 " " " S9E21 " "
Land level, timber Beech, Oak, Sugar &c.

Nest on S89½W. On S. boundary of Sec. 33, T6 N. R8 E.

40.00 Set of Sec. post, from which
a Beech 7 in. dia. bray N36W3 lks. dist. of
a d. l. 7 " " " S5E4 " "

T5 N R 8 E. 2^d Mer. Indiana

433

ch. l. l. h.

74.40 a Brook 8 l. h. wide Course S. W.

78.90 a do. 8 " " " S.

80.00 At post Cor. to Sec. 32 & 33, T5 N. R 8 E, from which
a Beech 11 in. dia. - bray N 29 E 4 l. h. dist. of
a do. - " " " N 55 W 24 " "
Land flat, timber Beech, Oak, Poplar, Hickory &c.

West on $89\frac{1}{2}^{\circ}$ W, On S. boundary of Sec. 32, T5 N. R 8 E.

40.00 At q. Sec. post, from which
a Beech 14 in. dia. - bray N 67 W 11 l. h. dist. of
a S. Gum 14 " " " N 9 E 33 " "

46.70 a Brook 6 l. h. wide Course S. W.

60.04 a do. 6 " " " North

79.90 a do. 15 " " " S. E.

80.00 At post Cor. to Sec. 31 & 32, T5 N. R 8 E, from which
a Sugar 13 in. dia. - bray N 17 W 13 l. h. dist. of
a Hickory 12 " " " N 17 E 10 " "
Land level, timber Beech, Sugar, Oak &c.

West on $89\frac{1}{2}^{\circ}$ W, On S. boundary of Sec. 31, T5 N. R 8 E.

5.20 a Brook 8 l. h. wide Course S. W.

40.00 At q. Sec. post, from which
a Beech 13 in. dia. - bray N 60 W 6 l. h. dist. of
a Sugar 7 " " " N 31 E 26 " "

69.15 Intersected the post Cor. to Township 5 & 6 N,
Range 7 & 8 East. Land level, timber
Beech, Hickory, Oak Ash &c. Nov. 7th 1806
John Brownson, d. S.

West Boundary

September 26th 1806! var. $5^{\circ} 50' E$.

North On E. boundary of Sec. 36, T5 N. R 7 E

12.50 a Brook 3 l. h. wide Course S. E.

19.30 a Beech 16 in. dia.

29.00 a Brook 3 l. h. wide Course S. E.

39.00 a do. 2 " " " S. E.

434 T5 N R8 E. 2nd Mer. Indiana

ch. 1/2

40.00 Let of Sec. post, from which
a Beech 15 in. diam. bear S 37 W 27 lks. dist. of
a " 13 " " " N 15 E 20 " "

55.00 a Beech 30 in. diam. " " " "

79.50 a Brook 3 lks. wide Course S.

80.00 Let post Cor. to Sec. 25 & 36, T5 N. R7 E, from which
a Beech 7 in. diam. bear S 41 E 5 lks. dist. of

a maple 12 " " " N 19 W 28 " "

First 1/2 mile hilly, timber Beech, Poplar, Ash,
etc. last 1/2 level Beech land

North On E. boundary of Sec. 25, T5 N. R7 E

13.00 a Brook 3 lks. wide Course W.

22.29 an Ash 36 in. diam.

40.00 Let of Sec. post from which
a Beech 16 in. diam. bear S 10 E 7 lks. dist. of
a Do. 18 " " " N 7 W 12 " "

78.70 a Gum 36 " "

80.00 Let post Cor. to Sec. 24 & 25, T5 N. R7 E, from which
a Beech 10 in. diam. bear S 2 E 19 lks. dist. of

a Do. 12 " " " N 12 W 18 " "

Level land timber Beech

North On E. boundary of Sec. 24, T5 N. R7 E.

25.00 a Brook 3 lks. wide Course E.

27.00 a Beech 12 in. diam.

32.50 a Brook 3 lks. wide Course E.

40.00 Let of Sec. post, from which
a Beech 20 in. diam. bear S 32 W 27 lks. dist. of
a Do. 12 " " " N 9 E 15 " "

65.00 a P. Oak 30 " "

66.00 a Brook 5 lks. wide Course W.

70.00 a Do 4 " " " S. W.

80.00 Let post Cor. to Sec. 13 & 24, T5 N. R7 E, from which
a Beech 30 in. diam. bear South 38 lks. dist. of

an Ash 18 " " " N 2 W 33 " "

435

T5 N. R8 E. 2nd Mer. Indiana
 ch. 1st 1/2
 Land level, timber Beech, Poplar, Ash &c
 September 27th 1886

North On E. boundary of Sec. 13, T5 N. R7 E.

8.50 a Brook 3¹/₂ m. wide Course W.

18.00 a Do. 3 " " " S.W.

22.22 a Beech 18 in. diam.

40.00 Set of Sec. post, from which
 a Beech 12 in. diam. bears N 9 E 27¹/₂ m. dist. of
 a Do. 14 " " " N 4 E 40 " "

66.00 a Beech 16 " "

80.00 Set post Cor. to Sec. 12 & 13, T5 N. R7 E, from which*
 Land level timber Beech, Poplar &c.

North On E. boundary of Sec. 12, T5 N. R7 E.

16.00 a Spring W.

18.65 an Ash 30 in. diam.

32.50 a Brook 15¹/₂ m. wide Course W.

40.00 Set of Sec. post, from which
 a Beech 20 in. diam. bears N 20 E 29¹/₂ m. dist. of
 a Do. 16 " " " N 4 W 36 " "

67.50 a Brook 2¹/₂ m. wide Course E.

72.00 a Do. 2 " " " E.

80.00 Set post Cor. to Sec. 1 & 12, T5 N. R7 E, from which
 a Beech 5 in. diam. bears N 67 W 9¹/₂ m. dist. of
 a Do. 12 " " " S 33 E 20 " "
 Hilly land, timber Beech, Poplar &c.

North On E. boundary of Sec. 1, T5 N. R7 E

20.20 an Ash 16 in. diam.

40.00 Set of Sec. post, from which
 a Beech 5 in. diam. bears N 41 E 16¹/₂ m. dist. of
 an Ash 12 " " " N 4 W 24 " "

69.40 a Beech 12 " "

80.00 Set post Cor. to Township 5 & 6 North, of
 Range 7 & 8 East, from which

*See Beech 12 - 5298-13 m. dist
 from Do. 24 - 1776-12 " "

436

T5N R8E 2^d Mer. Indiana
ch. 2^d 1877

a Beech 30 in. dia. bears S 72 E 26 lks. dist. of
a No. 16 " " " N 62 W 27 "
Good land, timber Beech, Poplar, Ash &c
September 28th 1806
Surveyed By
Alexander Holmes,
Deputy Surveyor

Subdivision. November 29th 1806
North Between Secs. 35 & 36

24.08 a Poplar 36 in. dia.
34.50 a Creek 20 lks. wide course West
40.00 Set q. Sec. post, from which
a Beech 6 in. dia. bears S 86 W 14 lks. dist. &
a Sugar 12 " " " N 29 E 23 " "
80.00 Set post Cor. to Secs. 25, 26, 35 & 36, from which
a Beech 15 in. dia. bears N 48 E 15 lks. dist. &
a No. 6 " " " S 12 W 9 " "
Over rolling Land 2nd rate timber Beech Poplar
Sugar very thickety and fallen timber middling
good farming Land -

East On Random between Secs. 25 & 36

40.01 Set temp. q. Sec. post
79.38 Intersected the E. boundary 8 lks. N. of post
Land and timber the same a good part of this
mile is fallen timber and Spice & briars thickets
November 30th 1806

West Connected between Secs. 25 & 36

59.69 Set q. Sec. post at average dist. from which
a Beech 14 in. dia. bears S 30 W 10 lks. dist. &
a No. 36 " " " N 5 E 12 " "
79.38 to Section Corner

North Between Secs. 25 & 26

S 1/2 R 8 E 2^d Mer. Indiana ⁴³⁷

Ch. P. 1/4

20. 00 a small brook course W.
 40. 00 Set q. Sec. post, from which
 a Beech 14 in. dia. bears S 48 W 11 lbs. dist. 4
 a No. 10 " " " N 80 W 11 " "
 64. 20 a Beech 12 " "
 80. 00 Set post Cor. to Secs. 23, 24, 25 & 26, from which
 a Beech 12 in. dia. bears S 52 E 15 lbs. dist. 4
 a No. 20 " " " S 88 W 34 " "
 Over level land 2nd rate timber principally beech Spice
 Undergrowth middling farming Land-
-

East On Random between Secs 24 & 25

16. 00 a Creek 20 lbs. wide course N. W.
 35. 00 a small brook - - - S. W
 40. 00 Set temp. q. Sec. post
 80. 40 Intersected the N. & S. line 6 lbs. S. of post
 over rolling Land 2^d rate timber same undergrowth
 Spice good farming Land-
-

West Connected between Secs. 24 & 25

40. 20 Set q. Sec. post, at average dist. from which
 a Beech 6 in. dia. bears S 22 W 4 lbs. dist. 4
 a Sugar 10 " " " N 78 E 28 " "
 80. 40 to Section Corner
-

North Between Secs. 23 & 24

12. 00 a creek 30 lbs. wide course S. W.
 17. 97 a Beech 12 in. dia.
 40. 00 Set q. Sec. post, from which
 a Beech 12 in. dia. bears N 81 E 23 lbs. dist. 4
 a No. 14 " " " N 81 W 9 " "
 60. 38 a Beech 9 " "
 80. 00 Set post Cor. to Secs. 13, 14, 23 & 24, from which
 a Beech 18 in. dia. bears S 34 E 20 lbs. dist. 4
 a No. — " " " N 34 W 20 " "
 Over rolling Land good 2nd rate timber Beech

T5 N 8 E. 2^d Mer. Indiana
ch. 2th
 and Sugar principally good farming Land

East On Bardon between Sec^s. 13 & 24

40.00 Set temp^y. of Sec. post

60.50 a Creek 20 lbs. wide Course S.

77.00 a No. 15 " " " N W.

81.21 Intersected the E. boundary 18 lbs. N. of post
 the first half mile Over level flat Land timber
 Beech & Gum - rather thin soil - the last rolling
 timber Beech & Sugar good for farming Land

West Corrected between Sec^s. 13 & 24

40.60 Set of Sec. post, at average dist. from which
 a Beech 8 in. dia. bears N 81 W 10 lbs. dist. &
 a No. 18 " " " S 72 E 6 " "

81.21 to Section Corner

North Between Sec^s. 13 & 14

7.50 a Small brook course S. W.

20.00 a Beech 18 in. dia.

40.00 Set of Sec. post, from which
 a Beech 6 in. dia. bears N 46 E 10 lbs. dist. &
 a No. 9 " " " S 84 W 20 " "

52.50 a Brook 10 lbs. wide course W.

59.33 a Beech 14 in. dia.

72.00 a dry creek 15 lbs. wide course S. W.

80.00 Set post cor. to Sec^s. 11, 12, 13 & 14, from which
 a Beech 8 in. dia. bears S 82 W 4 lbs. dist. &
 a No. 16 " " " N 58 E 23 " "

Over 2nd rate Land rather rolling timber Beech
 Poplar Sugar &c. undergrowth Spice good for farming

East On Prandon between Sec^s. 12 & 13

10.00 a Brook 15 lbs. wide course S. W.

40.00 Set temp^y. of Sec. post.

80.82 Intersected the E. boundary 148 lbs. N. of post

439

S to PP&E. 2^d. Mer. Indiana

ch. 11th

The first half mile - Land timber the same the last
level timber Beech Oak & Gum middling farming Land

West Connected between Sect. 12 & 13

40. 41 Set q. Sec. post. at average dist. from which
a S. Gum 18 in. dia. bears N66E 20 lks. dist. &
a Beech 11 " " " N83W 21 " "

81. 82 to Section Corner

North Between Sect. 11 & 12

24. 90 a W. Oak 18 in. dia.

52. 00 a Creek 20 lks. wide Course W.

40. 00 Set q. Sec. post. from which
a Beech 8 in. dia. bears S69E 34 lks. dist. &
a Do. 18 " " " N59W 17 " "

63. 66 a Poplar 24 " "

80. 00 Set post Cor. to Sect. 1, 2, 11 & 12, from which
a Beech 13 in. dia. bears S64E 28 lks. dist. &
a Do. 9 " " " N68W 11 " "
over rolling Land timber beech Sugar Poplar &c.
good for farming Land

East On Pradom between Sect. 1 & 12

40. 00 Set temp. q. Sec. post.

72. 00 a Brook 6 lks. wide Course S. W.

80. 64 Intersected the E. boundary 150 lks. N. of post
over rolling Land 2^d. rate timber same middling
farming Land

West Connected between Sect. 1 & 12

40. 32 Set q. Sec. post. at average dist. from which
a Sugar 18 in. dia. bears N63E 20 lks. dist. &
a Beech 9 " " " S60W 13 " "

80. 64 to Section Corner

North Between Sect. 1 & 2

440

S. N. & E. 2nd Mer. Indiana

ch. l. l.

- 00.50 a Small Stream of water course W.
 20.91 a Beech 13 in. dia.
 40.00 Set q. Sec. post, from which
 a Sugar 7 in. dia. bears N 15 E 18 lks. dist. &
 a Beech 18 " " " S 3 E 16 " "
 40.25 a Small Stream of water 6 lks. wide Course S. W.
 70.58 a Poplar 36 in. dia.
 76.91 Intersected the N. boundary 15 lks. W. of post.
 Set post Cor. to Sect. 1 & 2. from which,
 a Beech 18 in. dia. bears S 84 E 27 lks. dist. &
 a Sugar 18 " " " N 31 W 4 " "
 Over rolling Land 2nd rate timber Beech Sugar good
 farming Land -

December 2nd 1806

North Between Sect. 34 & 35.

- 20.98 a Beech 12 in. dia.
 40.00 Set q. Sec. post, from which
 a Beech 8 in. dia. bears S 86 W 27 lks. dist. &
 a Do 12 " " " N 3 E 18 " "
 52.00 a Creek 10 lks. wide Course W.
 61.23 a Beech 20 in. dia.
 80.00 Set post Cor. to Sect. 26, 27, 34 & 35, from which
 a Beech 20 in. dia. bears S 79 W 14 lks. dist. &
 a Do. 24 " " " N 53 E 39 " "
 Over rather broken Land timber Beech Sugar
 Poplar &c. Undergrowth Spice and briars middling
 farming Land -

East On Pradom between Sect. 26 & 35

- 20.50 a Creek 12 lks. wide Course S. W.
 40.00 Set temp. q. Sec. post
 79.17 Intersected the N. & S. line 60 lks. S. of post.
 Rolling Land timber same as on the last mile
 middling farming Land -

ch. P. 1/4

West Connected between Sec. 26 & 35

39.58 Set of. Sec. post, at average dist. from which
a Beech 9 in. dia. bears N 60° W 10 lbs. dist. &
a No. 18 " " " S 77° E 22 " "

79.17 to Section Corner

North Between Sec. 26 & 27

26.92 a Beech 30 in. dia.

40.00 Set of. Sec. post, from which
a Beech 12 in. dia. bears S 46° W 16 lbs. dist. &
a No. 12 " " " N 32° E 23 " "

51.50 a Brook 10 lbs. wide Course W.

55.00 a No. 20 " " " S W.

80.00 Set post Cor. to Sec. 22, 23, 26 & 27, from which
a Beech 20 in. dia. bears S 63° E 19 lbs. dist. &
a No. 12 " " " S 64° W 22 " "

Over-rolling Land good 2nd rate timber Beech, Sugar,
Poplar &c. undergrowth Spice good for farming land -

East On Random between Sec. 23 & 26

34.00 a Creek 20 lbs. wide Course S. W.

40.00 Set temp. of. Sec. post

78.58 Intersected the N. & S. line 88 lbs. S. of post
Land and timber same as last mile -

West Connected between Sec. 23 & 26

39.29 Set of. Sec. post, at average dist. from which
a Dogwood 9 in. dia. bears S 34° E 12 lbs. dist. &
a Sugar 16 " " " N 37° W 15 " "

78.58 To Section Corner

North Between Sec. 22 & 23

28.21 a Beech 5 in. dia.

40.00 Set of. Sec. post, from which
a Beech 18 in. dia. bears S 65° W 29 lbs. dist. &
a No. 18 " " " N 64° E 19 " "

442

5 N R & E. 2^d Mer. Indiana

ch² 1/2

- 58.50 a Brook 10 lbs. wide Course S.W.
 80.00 Set post Cor. to Secs. 14, 15, 22, & 23, from which
 a Sugar 10 in. dia. bears N 69 E 29 lbs. dist. &
 a Beech 12 " " " N 84 W 10 " "
 Land and timber same as on the last mile

East On Random between Secs. 14 & 23

- 40.00 Set temp^y. q. Sec. post.
 77.43 Intersected the N. & S. line 63 lbs. N. of post.
 over rolling Land 2nd rate Timber Beech Sugar-
 Poplar undergrowth Spice good farming Land

West Corrected between Secs. 14 & 23

- 39.71 Set q. Sec. post, at average dist. from which
 a Beech 10 in. dia. bears S 27 W 9 lbs. dist. &
 a No. 12 " " " S 31 E 22 " "
 79.43 to Section Corner.

December 4th 1806.

North Between Secs. 14 & 15

- 28.31 a Beech 24 in. dia.
 33.90 a Creek 30 lbs. wide Course W.
 40.00 Set q. Sec. post, from which
 a Sugar 18 in. dia. bears S 9 E 17 lbs. dist. &
 a Beech 20 " " " N 12 W 23 " "
 61.13 a Sugar 12 " "
 80.00 Set post Cor. to Secs. 10, 11, 14 & 15, from which
 a Hickory 12 in. dia. bears S 61 E 14 lbs. dist. &
 a Beech 18 " " " S 58 W 23 " "
 Land timber &c. same as on the last mile -

East On Random between Secs. 11 & 14

- 40.00 Set temp^y. q. Sec. post
 78.64 Intersected the N. & S. line 108 lbs. S. of post
 Level Land timber same good farming Land

S 5 N R 8 E. 2. Mer. Indiana

443

ch. P. 167

West Corrected between Sec. 11 & 14

39.57 Set q. Sec. post, at average dist. from which
a Beech 8 in. dia. bears N 36 W 6 lb. dist. 4
a No. 20 " " " S 5 W 17 " "

78.64 to Section Corner

North Between Sec. 10 & 11

22.83 a Blue Ash 18 in. dia.

40.00 Set q. Sec. post, from which
a Sugar 11 in. dia. bears S 85 W 10 lb. dist. 4
a B. Walnut 20 " " " N 82 E 33 " "

62.42 a Sugar 6 " "

77.50 a Brook 15 lb. wide Course West.

80.00 Set post Cor. to Sec. 2, 3, 10 & 11, from which
a Sugar 11 in. dia. bears S 35 W 11 lb. dist. 4
a No. 14 " " " N 10 E 33 " "
over rolling land a very good 2nd rate timber Beech,
Poplar, Sugar, Walnut, Ash &c. undergrowth Spice
excellent farming Land

East On Prandom between Sec. 2 & 11

40.00 Set temp. q. Sec. post

79.07 Intersected the N. & S. line 65 lb. S. of post.
over rolling Land 2nd rate timber Beech Sugar
Poplar &c. undergrowth Spice good farming Land

West Corrected between Sec. 2 & 11

39.53 Set q. Sec. post, at average dist. from which
a Beech 21 in. dia. bears S 4 W 16 lb. dist. 4
a No. 24 " " " N 11 E 28 " "

79.07 to Section Corner

North Between Sec. 2 & 3.

10.00 a Creek 1.00 lb. wide Course S. W.

31.17 a Beech 20 in. dia.

40.00 Set q. Sec. post, from which

444

T5 N R8 E. 2nd Mer Indiana
ch^d. 1/4

a Beech 12 in. dia. bears S 50 E 1 1/4 lh. dist. 4
a No. 30 " " " N 47 W 17 " "
48.50 a Creek 1.50 lh. wide course S. E.
62.88 a Beech 1 1/4 in. dia.
75.64 Intersected the N. boundary 150 lh. E. of post
Set post Cor. to Sect. 2 & 3, from which
a Beech 15 in. dia. bears S 73 W 23 lh. dist. 4
a No. 12 " " " S 55 E 7 " "
Land and timber same as last mile

December 5th 1806

North Between Sect. 33 & 34

22.72 a Beech 1 1/4 in. dia.
37.50 a Small Stream of water course S. W.
40.00 Set q. Sec. post, from which
a Hickory 5 in. dia. bears S 62 W 12 lh. dist. 4
a Beech 20 " " " N 55 E 4 " "
80.00 Set post Cor. to Sect. 27, 28, 33 & 34, from which
a Beech 11 in. dia. bears N 81 E 26 lh. dist. 4
a No. 14 " " " S 16 W 13 " "
Over rolling Land 2nd rate timber Beech, Poplar,
Walnut, Ash, Sugar &c. Undergrowth Spice - good
farming Land -

East On Pradom between Sect. 27 & 34

40.00 Set temp. q. Sec. post
78.34 Intersected the N. & S. line 150 lh. S. of post.
Land timber &c. Same as last mile

West Connected between Sect. 27 & 34

39.17 Set q. Sec. post, at average dist. from which
a Beech 13 in. dia. bears N 77 W 20 lh. dist. 4
a No. 20 " " " N 50 E 18 " "
78.34 to Section Corner

North Between Sect. 27 & 28

S. N. R. & E. 2^d. Mer. Indiana

445

ch. 1st 1/2

- 10.00 a Creek 150 lbs. wide Course S. W.
- 17.00 a No. 150 " " " S. E.
- 25.12 a Sugar 8 in. dia.
- 40.00 Set q. Sec. post, from which
a Sugar 12 in. dia. bears S 13 W 21 lbs. dist. &
a Beech 30 " " " S 85 E 48 " "
- 61.41 a No. 5 " "
- 67.00 a Creek 150 lbs. wide Course S. W.
- 80.00 Set post Cor. to Sec. 21, 22, 27 & 28, from which
a Sugar 18 in. dia. bears N 24 E 18 lbs. dist. &
a Beech 30 " " " S 52 W 28 " "
Land and Timber same as last mile

East On Random between Sec. 22 & 27

- 7.00 a Creek 15 lbs. wide Course S. W.
- 40.00 Set temp. q. Sec. post.
- 79.36 Intersected the N. & S. line 139 lbs. S. of post
Land timber re. same as on the last mile

West Connected between Sec. 22 & 27.

- 39.68 Set q. Sec. post, at average dist. from which
a Sugar 13 in. dia. bears S 7 E 14 lbs. dist. &
a Beech — " " " N 17 E 18 " "
- 79.36 to Section Corner. December 6th 1806

North Between Sec. 21 & 22

- 10.10 a Creek 150 lbs. wide Course S. E.
- 24.50 a No. 150 " " " W.
- 27.19 a Beech 18 in. dia.
- 37.50 a Creek 150 lbs. wide Course S. E.
- 40.00 Set q. Sec. post, from which
a Beech 14 in. dia. bears N 63 W 11 lbs. dist. &
a Sugar 12 " " " N 84 E 16 " "
- 59.00 a Creek 105 lbs. wide Course S. W.
- 64.56 a Beech 12 in. dia.
- 80.00 Set post Cor. to Sec. 15, 16, 21 & 22, from which.

446

S. N. R. & E. 2^d. Mer. Indiana
ch. & lly

a Beech 24 in. dia. bears N 67 E 20 lbs. dist. &
a No. 18 " " " S 55 W 34 " "
Land & timber same as last mile

East On Prandom between Sect. 15 & 22

40.00 Set temp. q. Sec. post

51.50 a Creek 15 lbs. wide course South

79.15 Intersected the N. & S. line 74 lbs. S. of post
Land timber &c. same as last mile

West Connected between Sect. 15 & 22

39.57 Set q. Sec. post, at average dist. from which
a Sugar 10 in. dia. bears N 44 E 20 lbs. dist. &
a Beech 13 " " " S 70 W 11 " "

79.15 to Section Corner

North Between Sect. 15 & 16

21.74 a Beech 8 in. dia.

40.00 Set q. Sec. post, from which

a Beech 10 in. dia. bears N 50 E 8 lbs. dist. &

a No. 30 " " " S 25 W 27 " "

66.70 a W. Oak 18 " "

80.00 Set post cor. to Sect. 9, 10, 15 & 16, from which

a Beech 20 in. dia. bears S 85 E 18 lbs. dist. &

a No. 10 " " " N 41 W 42 " "

Over level land a poor 2^d. rate timber Beech Oak
& Sugar, Gum, some Spice undergrowth
muddling farming Land.

East On Prandom between Sect. 10 & 15

38.00 a Creek 100 lbs. wide course S. & E.

40.00 Set temp. q. Sec. post.

80.71 Intersected the N. & S. line 84 lbs. S. of post

Over rolling Land 2^d. rate timber Beech, Sugar, Ash,
Gum, Walnut, &c. undergrowth Spice good farming land

S. N. R. & E. 2^d. Mer. Indiana

447

ch. P. 11

West Corrected between Sect. 10 & 15.

- 40.35 Set q. Sec. post, at average dist. from which
 a Beech 12 in. dia. bears S 67 E 15 lks. dist. &
 a No. 9 " " " N 46 W 16 " "
 80.71 to Section Corner

North Between Sect. 9 & 10

- 17.00 a Brook 10 lks. wide Course E.
 22.67 a Beech 13 in. dia.
 40.00 Set q. Sec. post, from which
 a Beech 24 in. dia. bears S 72 E 46 lks. dist. &
 a No. 12 " " " N 65 W 37 " "
 62.36 a Beech 10 " "
 80.00 Set post Cor. to Sect. 3, 4, 9 & 10, from which
 a Beech 10 in. dia. bears N 7 W 6 lks. dist. &
 a No. 7 " " " S 4 E 14 " "
 Land & timber same as last mile

East On Prandon between Sect. 3 & 10

- 20.00 a Creek 20 lks. wide Course S. E.
 40.00 Set temp. q. Sec. post.
 79.00 a Creek 150 lks. wide Course S. W.
 82.08 Intersected the N. & S. line 80 lks. S. of post
 over rolling land 2nd rate timber Beech, Poplar, Ash,
 Sugar, &c. undergrowth Spice good farming Land

West Corrected between Sect. 3 & 10

- 41.04 Set q. Sec. post. at average dist. from which
 a Beech 18 in. dia. bears S 52 W 12 lks. dist. &
 a No. 12 " " " N 46 E 2 " "
 82.18 To Section Corner

North Between Sect. 3 & 4

- 26.30 a Beech 14 in. dia.
 40.00 Set q. Sec. post, from which
 a Beech 12 in. dia. bears S 58 E 11 lks. dist. &

448

S N R & E. 2^d Mer. Indiana

ch. lth.

- a Beech 12 in. dia. bears N 59 W 31 lth. dist.
 65.76 a No. 12 "
 77.83 Intersected the N. boundary 82 lth. W. of post
 Set post Cor. to Sect. 3 & 4, from which
 a Beech 10 in. dia. bears S 26 W 31 lth. dist. &
 a Maple 11 " " " N 56 E 24 "
 Over level land timber Beech, Gum, W. Oak, Poplar,
 &c. about middling farming Land
-

December 7th 1806

North Between Sect. 32 & 33

- 40.00 Set q¹ Sec. post, from which
 a Sugar 7 in. dia. bears S 55 W 32 lth. dist. &
 a Beech 5 " " " N 70 E 15 " "
 69.14 a No. 15 " "
 80.00 Set post Cor. to Sect 28, 29, 32 & 33, from which:
 a Beech 12 in. dia. bears S 41 E 28 lth. dist. &
 a Sugar 9 " " " N 77 W 15 " "
 Over land rolling 2^d rate timber Beech Sugar Ash
 Poplar &c. undergrowth Spice good farming Land
-

East On Pradom between Sect. 28 & 33

- 35.00 a Creek 150 lth. wide Course S. W
 40.00 Set temp^t. q¹ Sec. post
 55.00 a Creek 150 lth. wide Course N W.
 69.00 a No. 150 " " " S. W.
 78.97 Intersected the N. & S. line 38 lth. N. of post
 Land and timber same as last mile
-

West Connected between Sect. 28 & 33

- 39.48 Set q¹ Sec. post, at average dist. from which
 a Beech 12 in. dia. bears N 28 E 20 lth. dist. &
 a No. 20 " " " N 67 W 16 " "
 78.97 to Section Corner
-

North Between Sect. 28 & 29.

St R & E. 2nd. Mer. Indiana

449

ch. P. lly

23.46 a Beech 5 in. dia.

40.00 Set qf. Sec. post, from which
a Beech 14 in. dia. bears N 38 E 10 lks. dist. &
a No. 12 " " " S 51 N 39 " "

60.61 a Beech 9 " "

80.00 Set post Cor. to Sect. 20, 21, 28 & 29, from which
a Hickory 5 in. dia. bears N 73 E 13 lks. dist. &
a Beech 12 " " " S 75 N 25 " "
Land and timber same as on last mile

East On Random between Sect. 21 & 28

40.00 Set temp. qf. Sec. post

78.87 Intersected the N. & S. line 97 lks. N. of post.
Land timber &c. same as on last mile

West Connected between Sect. 21 & 28

39.43 Set qf. Sec. post, at average dist. from which
a Beech 12 in. dia. bears N 65 E 15 lks. dist. &
a No. 20 " " " S 36 N 11 " "

78.87 to Section Corner

North Between Sect. 20 & 21.

40.00 Set qf. Sec. post, from which
a Beech 18 in. dia. bears S 24 N 22 lks. dist. &
a Blue Ash 12 " " " N 73 E 21 " "

66.76 a Beech 24 " "

80.00 Set post Cor. to Sect. 16, 17, 20 & 21, from which
a Beech 12 in. dia. bears N 48 E 15 lks. dist. &
a No. 7 " " " S 74 N 16 " "
Land rather rolling timber Beech, Poplar, Oak &
Gum, middling farming Land undergrowth Spice
and Green hies—

East On Random between Sect. 16 & 21.

40.00 Set temp. qf. Sec. post

79.52 Intersected the N. & S. line 32 lks. S. of post

450

S. N. R8 E. 2nd Mer. Indiana
ch. lky

Land rolling timber Beech, Poplar, Sugar, Ash &c.
undergrowth Spice good for farming -

West Corrected between Sec. 16 & 21.

39.76 Set of. Sec. post, at averagedist. from which
a B. Gum 18 in. dia. bears N 83 E 7 lks. dist. &
a Beech 20 " " " S 87 W 19 " "

79.52 to Section Corner

North Between Sec. 16 & 17.

40.00 Set of. Sec. post, from which
a Beech 12 in. dia. bears S 45 W 7 lks. dist. &
a No. 20 " " " N 25 E 25 " "

45.00 a Creek 20 lks. wide Course S. W.

59.19 a Beech 12 in. dia.

80.00 Set a post Cor. to Sec. 8, 9, 16 & 17, from which
a W. Ash 24 in. dia. bears S 41 W 25 lks. dist. &
a Beech 14 " " " N 79 E 6 " "

Land timber &c. Same as on the last mile

East On Prandom Sec. 9 & 16

40.00 Set temp. of. Sec. post

79.62 Intersected the N. & S. line 24 lks. South of post.
Land and timber Same as last mile

West Corrected between Sec. 9 & 16

39.81 Set of. Sec. post, at average dist. from which
a Beech 10 in. dia. bears S 17 W 17 lks. dist. &
a No. 8 " " " N 66 E 10 " "

79.62 to Section Corner

North Between Sec. 8 & 9.

20.78 a B. Walnut 16 in. dia.

40.00 Set of. Sec. post, from which
a Beech 20 in. dia. bears N 9 W 25 lks. dist. &
a No. 18 " " " S 2 E 14 " "

457

S. N. R. & E. 2nd Mer. Indiana

ch. 1st 1/4

- 71.50 a Creek 15 lbs. wide Course S. W.
 80.00 Set post Cor. to Sect. 4, 5, 8 & 9, from which
 a Beech 18 in. dia. bears N 43 W 25 lbs. dist. 7
 a No. 10 " " " N 71 E 33 " "
 Land rolling timber Beech, Sugar, Ash, Poplar,
 undergrowth Spice good farming Land -
-

- East On Random between Sect. 4 & 9
 39.00 a Creek 12 lbs. wide Course S. W.
 40.00 Set temp'y. q. Sec. post
 79.44 Intersected the N. & S. line 27 lbs. S. of post.
 Land and timber same as on last mile -
-

- West Connected between Sect. 4 & 9
 39.72 Set q. Sec. post at average dist. from which
 a Beech 11 in. dia. bears S 39 E 40 lbs. dist. 4
 a No. 24 " " " N 45 W 16 " "
 79.44 to Section Corner
-

- North Between Sect. 4 & 5
 25.00 a Beech 12 in. dia.
 28.00 a Brook 10 lbs. wide Course S. W.
 40.00 Set q. Sec. post. from which
 a Beech 12 in. dia. bears S 74 W 5 lbs. dist. 4
 a No. 13 " " " S 57 E 18 " "
 64.71 a Beech 12 " "
 78.85 Intersected the N. boundary 41 lbs. E. of post
 Set post. Cor. to Sect. 4 & 5, from which
 a Beech 12 in. dia. bears S 32 E 30 lbs. dist. 4
 a No. 12 " " " N 16 E 22 " "
 over rolling land 2nd rate timber Beech, Ash,
 Poplar, Sugar, &c. good farming Land
-

December 10th 1806

- North Between Sect. 31 & 32
 27.55 a Beech 11 in. dia.

T5 N R8 E. 2^d Mer. Indiana

ch. lks

37.50 a Brook 10 lks. wide Course N. W.

40.00 Set q. Sec. post, from which
a Sugar 10 in. dia. bears N23 E 2 1/2 lks. dist. &
a Beech 7 " " " S27 W 12 " "

59.37 a Sugar 10 " "

80.00 Set post Cor. to Sect. 29, 30, 31 & 32, from which
a Sugar 8 in. dia. bears S32 E 2 1/4 lks. dist. &
a Beech 12 " " " N W 16 " "
over rolling Land good Soil timber Beech,
Poplar, Ash, Sugar, Walnut, & undergrowth
Spice good farming Land

East On Pradon between Sect. 29 & 32.

32.00 a Brook 10 lks. wide course N. E.

40.00 Set temp. q. Sec. post

79.78 Intersected the N & S. line 66 lks. N. of post
Land rather broken timber Beech, Poplar, Ash,
Oak &c. undergrowth same as last mile
midding farming Land

West Connected between Sect. 29 & 32

39.89 Set q. Sec. post, at average dist. from which
a Beech 10 in. dia. bears S88 W 1/3 lks. dist. &
a Do. 20 " " " N71 E 9 " "

79.78 to Section Corner

West Between Sect. 30 & 31.

11.00 a Creek 20 lks. wide Course S.

19.92 a Sugar 10 in. dia.

40.00 Set q. Sec. post, from which
a Beech 9 in. dia. bears N48 E 5 lks. dist. &
a Sugar 10 " " " S69 W 9 " "

62.06 a Beech 8 " "

76.53 Intersected the W. boundary 167 lks. S. of post
Set post Cor. to Sect. 30 & 31, from which
a Beech 10 in. dia. bears N4 W 1/2 lks. dist. &

453

S. N. R & E. 2^d. Mer. Indiana

ch. lks

Sugar 8 in. dia. bears S 15 W 25 lks. dist.
 over rolling land timber in the first half mile
 Beech, Poplar, Sugar, Ash, &c. excellent
 farming Land the last half mile, rather
 more broken timber Beech Oak Poplar &c.
 undergrowth Spice and brush green briars
 muddling farming Land.

North Between Secs. 29 & 30

- 15.00 a Small brook proceeds from a spring 100 lks. wide Course E.
 11.50 a Creek 15 lks. wide Course S. W.
 17.09 a Beech 10 in. dia.
 40.00 Set of. Sec. post, from which
 a Beech 12 in. dia. bears N 74 E 23 lks. dist. &
 a No. 24 " " " S 62 W 25 " "
 64.40 a Beech 9 " "
 80.00 Set post Cor. to Secs. 19, 20 & 29, 30, from which
 a Sugar 9 in. dia. bears S 53 W 34 lks. dist. &
 a No. 6 " " " N 8 E 11 " "
 over rolling Land 2^d. rate timber Beech, Sugar, Poplar,
 Ash, &c. undergrowth Spice good farming land
-

West Between Secs. 19 & 30

- 7.00 a Creek 30 lks. wide Course S. W.
 48.00 Set of. Sec. post, from which
 a Beech 20 in. dia. bears S 83 E 18 lks. dist. &
 a d. Gum 30 " " " S 82 W 17 " "
 60.84 a W. Ash 27 " "
 74.78 Intersected the W. boundary 100 lks. S. of post.
 Set post Cor. to Secs. 19 & 30, from which
 a Beech 13 in. dia. bears S 33 E 13 lks. dist. &
 a No. 12 " " " N 25 W 19 " "
 Land timber Same as on the last mile
-

East On Random between Secs. 28 & 29

- 40.00 Set temp. of. Sec. post

454

T^h N R8 E. 2nd Mer. Indiana

ch. 2nd 1/2

79.67 Intersected the N. & S. line 7 lks. S. of post
Land & timber same as on the last. mile

West Connected between Sec. 20 & 29.

39.83 Set q. Sec. post, at average dist. from which
a Beech 12 in. dia. bears N 70 E 34 lks. dist. &
a Sugar 9 " " " S 81 W 2 " "

79.67 to Section Corner Dec. 11th 1806

North Between Sec. 19 & 20

21.37 a Sugar 10 in. dia.

30.01 a Creek 30 lks. wide Course S. W.

40.00 Set q. Sec. post, from which
a Hickory 18 in. dia. bears N 45 W 27 lks. dist. &
a Sugar 8 " " " S 46 W 58 " "

80.00 Set post Cor. to Sec. 17, 18, 19 & 20, from which
a Poplar 18 in. dia. bears N 72 W 17 lks. dist. &
a Beech 12 " " " N 71 E 16 " "
the first 3/4 of the mile Creek bottom - timber Beech
Sugar Ash Walnut &c. good farming Land -

East On Brandon between Sec. 17 & 20

15.10 a Creek 20 lks. wide Course S. W.

40.00 Set temp. q. Sec. post

78.98 Intersected the N. & S. line 92 lks. N. of post.
Over rolling Land timber same as last mile -
good farming Land

West Connected between Sec. 17 & 20

39.49 Set q. Sec. post, at average dist. from which
a Beech 20 in. dia. bears N 45 E 42 lks. dist. &
a Do. 20 " " " S 85 W 24 " "

78.98 to Section Corner

West Between Sec. 18 & 19

22.91 a P. Oak 14 in. dia.

455

S. N. R. & E. 2^d. Mer, Indiana

ch. P. 6th

40.00 Set of Sec. post, from which
a Beech 6 in. dia. bears East 20 lbs. dist. &
a No. 10 " " " S 1 W 28 " "

61.09 a Beech 12 " "

73.83 Intersected the W. boundary 50 lbs. S. of post

Set post Cor. to Sec. 18 & 19, from which
a Beech 30 in. dia. bears N 1 W 8 lbs. dist. &
a No. 18 " " " S 5 E 39 " "

Land level timber Beech, Sugar, Poplar, Gum, Ash,
&c. undergrowth Spice and Green briars. middling
farming Land,

North Between Sec. 17 & 18

25.72 a Beech 12 in. dia.

40.00 Set of Sec. post, from which
a Beech 7 in. dia. bears S 55 E 15 lbs. dist. &
a W. Ash 30 " " " N 51 W 10 " "

67.12 a Beech 5 " "

80.00 Set post Cor. to Sec. 7, 8, 17 & 18, from which
a Beech 13 in. dia. bears S 32 W 24 lbs. dist. &
a S. Gum 15 " " " N 11 W 29 " "

Land rolling timber Beech, Poplar, Sugar, Gum,
Maple &c. middling farming Land-

West Between Sec. 7 & 18.

22.50 a Beech 30 in. dia.

40.00 Set of Sec. post, from which
a Hickory 20 in. dia. bears S 83 W 2 lbs. dist. &
a Beech 5 " " " N 68 E 4 " "

65.00 a Creek 10 lbs. wide Course N. W.

72.26 Intersected the W. boundary 41 lbs. S. of post.

Set post Cor. to Sec. 7 & 18, from which
a Beech 14 in. dia. bears N 30 W 11 lbs. dist. &
a No. 24 " " " S 34 E 48 " "

Land level timber Beech, Sugar, Gum, Oak, Poplar-
&c. middling farming Land-

S. N. R. & E. 2nd Mer. Indiana

Ch. 2. 1/2

East On Random between Sec. 8 & 17

40.00 Set temp. q. Sec. post

53.00 a Creek 20 lbs. wide Course S. W.

79.12 Intersected the N. & S. line 92 lbs. N. of post.
 the first 1/2 mile level the last half mile rolling
 timber Beech Poplar Sugar Ash &c. no undergr.
 good farming Land

West Corrected between Sec. 8 & 17

39.56 Set q. Sec. post, at average dist. from which
 a Beech 13 in. dia. bears N 42 W 15 lbs. dist. 4

a W. 11 " " " S 18 E 6 " "

79.12 to Section Corner

North Between Sec. 7 & 8

23.90 a Sugar 18 in. dia.

30.00 a Brook 10 lbs. wide Course S. W.

40.00 Set q. Sec. post, from which

a Beech 7 in. dia. bears S 1/4 E 21 lbs. dist. 4

a W. 8 " " " N 42 W 1/4 " "

67.50 a Beech 13 " "

80.00 Set post Cor. to Sec. 5, 6, 7 & 8, from which

a Beech 12 in. dia. bears N 55 W 9 lbs. dist. 4

a W. 7 " " " S 36 E 31 " "

Land part level & part rolling timber Same, Spice
 undergrowth Spice, middling good farming Land -

West Between Sec. 6 & 7.

25.50 a Creek 15 lbs. wide Course S. W.

28.06 a Beech 9 in. dia.

40.00 Set q. Sec. post, from which

a Beech 11 in. dia. bears S 30 W 15 lbs. dist. 4

a W. 7 " " " N 44 W 12 " "

60.47 an Elm 18 " "

61.50 a Brook 10 lbs. wide Course S. W.

71.00 Intersected the W. boundary 26 lbs. South of post

ch. 17
S 5 N R 8 E. 2^d Mer. Indiana

457

Set post Cor. to Sect. 6 & 7, from which
a Beech 20 in. dia. bears N 57 W 33 lbs. dist. 4
a No. 24 " " " S 58 E 18 " "
Land rather Broken timber Beech, Poplar, Sugar,
Ash &c. Undergrowth Spice, muddling farming Land

East On Boundary between Sect. 5 & 8

40. 00 Set temp. q. Sec. post
75. 00 a Creek 15 lbs. wide Course S. W.
79. 72 Intersected the N. & S. line 117 lbs. N. of post
rolling Land timber Same good farming Land

West Corrected between Sect. 5 & 8.

39. 86 Set q. Sec. post, at average dist. from which
a Beech 5 in. dia. bears West 11 lbs. dist. 4
a No. 10 " " " N 45 E 13 " "
79. 86 to Section Corner.

North Between Sect. 5 & 6

11. 50 a Brook 6 lbs. wide Course W
40. 00 Set q. Sec. post, from which
a Beech 14 in. dia. bears S 62 W 20 lbs. dist. 4
a No. 24 " " " S 78 E 14 " "
52. 50 a Brook 6 lbs. wide Course W.
58. 82 a Beech 12 in. dia.
60. 62 a No. 7 " "
77. 00 a Creek 15 lbs. wide Course S. W.
78. 69 Intersected the N. boundary 18 lbs. E. of post.
Set post Cor. to Sect. 5 & 6, from which
a Hickory 12 in. dia. bears S 55 W 18 lbs. dist. 4
a Beech 20 " " " N 45 E 63 " "
Land and timber Same as on the last mile.

Surveyed By James Tisson
Deputy, Surveyor

Conf.

I certify that the foregoing transcript of field notes
of Township N. 5 North, Range N. 8 E. 2^d Meridian
Indiana, has been compared with the original notes in
this Office, and found to be correct.

Surveyor General's Office
Cincinnati, Oct. 20th 1842

William Johnston
Sur. Genl.